



ALS Inspection Chile SpA
 Limache 3405, Office 61
 Viña del Mar, CHILE
 T +56 32 2545 500

Arica - Iquique - Antofagasta - Valparaiso - Santiago - San Antonio - Talcahuano - Puerto Montt - Punta Arenas

Draught Survey Certificate

Report Nr. IQQ-2603-1227 Date issued April 3, 2026
 Port of survey Caleta Patillos, Terminal N° 1, Chile
 Ship's name SOUNION
 Type of Cargo Salt in bulk Cargo loaded 24401 MT

		INITIAL DRAFT			April 02nd 2026 / 13:10 to 14:00 LT	
		Aft	Mid	Ford		
Port	7.1000	5.7800	4.8900	LShip	11209.00	
Starboard	7.1000	5.8300	4.9000	LBP	197.00	
Mean	7.1000	5.8050	4.8950	Tpc	55.000	
Corr'n to Perpendicular	0.0115	0.0000	-0.0512	Lcf (-Ford)	-4.491	
Draught	7.1115	5.8050	4.8438	Trim	2.2677	
3/4 Mean Draught	Extreme		5.8482	Mct+	677.65	
Disp @ 1.0250	30518.00			Mct-	656.27	
Trim Correction A	-284.33					
Trim Correction B	27.91			IFO & DO	1054.50	
Corrected Displacement	30261.58			Fresh & DW	165.00	
Density of Dock Water	1.0250			Ballast	17482.36	
Displacement @ Density	30261.58			Other	0.00	
Variables	18701.86			Total	18701.86	
Nett Displacement	11559.72					

		FINAL DRAFT			April 03rd 2026 / 08:45 to 09:30 LT	
		Aft	Mid	Ford		
Port	10.0000	8.2200	6.0500			
Starboard	10.0400	8.3000	6.0700			
Mean	10.0200	8.2600	6.0600	Tpc	57.437	
Corr'n to Perpendicular	0.2060	0.0000	-0.0962	Lcf (-Ford)	-0.983	
Draught	10.2260	8.2600	5.9638	Trim	4.2622	
3/4 Mean Draught	Extreme		8.2187	Mct+	776.96	
Disp @ 1.0250	43814.35			Mct-	727.96	
Trim Correction A	-122.16					
Trim Correction B	225.93			IFO & DO	1051.70	
Corrected Displacement	43918.12			Fresh & DW	160.00	
Density of Dock Water	1.0247			Ballast	6732.96	
Displacement @ Density	43905.27			Other	0.00	
Variables	7944.66			Total	7944.66	
Nett Displacement	35960.61					

Cargo loaded		24401			
Dist of Draught Marks	Arrival	Departure			
From Aft Perpendicular	1.000	9.520		+	
From Mid Perpendicular	0.000	0.000		Marks forward of perpendicular +ive	
From Ford Perpendicular	-4.445	-4.445		Marks aft of perpendicular -ive	
Sea water densimeter	AllaFrance, Serie # 310139				

Remarks: At initial & final draught survey there were 1,00 mts swell abt



[Signature]
 Mr. Miguel Cortés Fuentes
 Draught Surveyor



[Signature]
 Chief officer Mr. Gleb Bessmertnyi
 MV SOUNION

DRAUGHT SURVEY CERTIFICATE				Form FT_MAR4_01	
Revised by	M. Cortes	Approved by	M. Palma	Versión 9 / Junio 1, 2020	

In accepting this certificate it is agreed that the extent of the obligation of this Company with respect there to is limited to furnishing a surveyor believed to be competent, and in the making of this certificate the surveyor is acting impartially and to the best of his ability and no liability shall attach to the Company or the surveyor for the accuracy there off. Our responsibility can never exceed the amount of our fees.



ALS Inspection Chile SpA
 Limache 3405, Office 61
 Viña del Mar, CHILE
 T +56 32 2545 500

Arica - Iquique - Antofagasta - Valparaíso - Santiago - San Antonio - Talcahuano - Puerto Montt - Punta Arenas

Draught Survey Certificate

Report Nr. **IQQ-2603-1227** Date issued **April 4, 2026**
 Port of survey **Caleta Patillos, Terminal N° 1, Chile**
 Ship's name **SOUNION**
 Type of Cargo **Salt in bulk** Cargo loaded **47495 MT**

		INITIAL DRAFT		April 02nd 2026 / 13:10 to 14:00 LT		
		Aft	Mid	Ford	LShip	
Port	7.1000	5.7800	4.8900	LBP		11209.00
Starboard	7.1000	5.8300	4.9000			197.00
Mean	7.1000	5.8050	4.8950	Tpc		55.000
Corr'n to Perpendicular	0.0115	0.0000	-0.0512	Lcf (-Ford)		-4.491
Draught	7.1115	5.8050	4.8438	Trim		2.2677
3/4 Mean Draught	Extreme	5.8482		Mct+		677.65
Disp @	1.0250		30518.00	Mct-		656.27
Trim Correction A			-284.33			
Trim Correction B			27.91	IFO & DO		1054.50
Corrected Displacement			30261.58	Fresh & DW		165.00
Density of Dock Water			1.0250	Ballast		17482.36
Displacement @ Density			30261.58	Other		0.00
Variables			18701.86	Total		18701.86
Nett Displacement			11559.72			
		FINAL DRAFT		April 04th 2026 / 04:43 to 05:50 LT		
		Aft	Mid	Ford		
Port	11.3400	11.0300	10.7000			
Starboard	11.3400	11.0300	10.7000			
Mean	11.3400	11.0300	10.7000	Tpc		60.000
Corr'n to Perpendicular	0.0333	0.0000	-0.0155	Lcf (-Ford)		3.248
Draught	11.3733	11.0300	10.6845	Trim		0.6888
3/4 Mean Draught	Extreme	11.0297		Mct+		866.40
Disp @	1.0250		60372.66	Mct-		847.73
Trim Correction A			68.14			
Trim Correction B			2.25	IFO & DO		1048.70
Corrected Displacement			60443.05	Fresh & DW		161.00
Density of Dock Water			1.0245	Ballast		148.79
Displacement @ Density			60413.57	Other		0.00
Variables			1358.49	Total		1358.49
Nett Displacement			59055.08			
Cargo loaded			47495			
Dist of Draught Marks	Arrival	Departure				
From Aft Perpendicular	1.000	9.520		+		
From Mid Perpendicular	0.000	0.000		Marks forward of perpendicular +ive		
From Ford Perpendicular	-4.445	-4.445		Marks aft of perpendicular -ive		
Sea water densimeter	AllaFrance, Serie # 310139					

Remarks: At initial & final draught survey there were 2,00 mts swell abt



0113574207660

Mr. Miguel Cortes Fuentes
 Draught Surveyor



Chief officer Mr. Gleb Bessmerthyi
 MV SOUNION

DRAUGHT SURVEY CERTIFICATE			
Revised by	M. Cortes	Approved by	M. Palma

In accepting this certificate it is agreed that the extent of the obligation of this Company with respect there to is limited to furnishing a surveyor believed to be competent, and in the making of this certificate the surveyor is acting impartially and to the best of his ability and no liability shall attach to the Company or the surveyor for the accuracy there off. Our responsibility can never exceed the amount of our fees.



Arica - Iquique - Antofagasta - Valparaíso - Santiago - San Antonio - Talcahuano - Puerto Montt - Punta Arenas

Draught Survey Certificate

Report Nr. **IQQ-2603-1227** Date issued **April 4, 2026**
 Port of survey **Caleta Patillos, Terminal N° 1, Chile**
 Ship's name **SOUNION**
 Type of Cargo **Salt in bulk** Cargo loaded **50345 MT**

		INITIAL DRAFT		April 02nd 2026 / 13:10 to 14:00 LT	
	Aft	Mid	Ford	LShip	
Port	7.1000	5.7800	4.8900	LBP	11209.00
Starboard	7.1000	5.8300	4.9000		197.00
Mean	7.1000	5.8050	4.8950	Tpc	55.000
Corr'n to Perpendicular	0.0115	0.0000	-0.0512	Lcf (-Ford)	-4.491
Draught	7.1115	5.8050	4.8438	Trim	2.2677
3/4 Mean Draught	Extreme		5.8482	Mct+	677.65
Disp @ 1.0250			30518.00	Mct-	656.27
Trim Correction A			-284.33		
Trim Correction B			27.91	IFO & DO	1054.50
Corrected Displacement			30261.58	Fresh & DW	165.00
Density of Dock Water			1.0250	Ballast	17482.36
Displacement @ Density			30261.58	Other	0.00
Variables			18701.86	Total	18701.86
Nett Displacement			11559.72		
		FINAL DRAFT		April 04th 2026 / 11:35 to 11:55 LT	
	Aft	Mid	Ford		
Port	11.5600	11.4700	11.3900		
Starboard	11.6500	11.5600	11.4300		
Mean	11.6050	11.5150	11.4100	Tpc	60.200
Corr'n to Perpendicular	0.0101	0.0000	-0.0047	Lcf (-Ford)	3.506
Draught	11.6151	11.5150	11.4053	Trim	0.2098
3/4 Mean Draught	Extreme		11.5138	Mct+	870.61
Disp @ 1.0250			63281.72	Mct-	860.02
Trim Correction A			22.48		
Trim Correction B			0.12	IFO & DO	1048.70
Corrected Displacement			63304.32	Fresh & DW	161.00
Density of Dock Water			1.0245	Ballast	159.17
Displacement @ Density			63273.44	Other	0.00
Variables			1368.87	Total	1368.87
Nett Displacement			61904.57		
Cargo loaded			50345		
Dist of Draught Marks	Arrival	Departure			
From Aft Perpendicular	1.000	9.520			
From Mid Perpendicular	0.000	0.000			
From Ford Perpendicular	-4.445	-4.445			
Sea water densimeter	AllaFrance Serie # 310139				

Remarks: At initial & final draught survey there were 2,00 mts swell abt



Mr. Miguel Cortes Fuentes
 Draught Surveyor



Chief officer Mr. Gleb Bessmertny
 MV SOUNION

DRAUGHT SURVEY CERTIFICATE			
Revised by	M. Cortes	Approved by	M. Palma
		Version 97 Junio 1, 2020	

In accepting this certificate it is agreed that the extent of the obligation of this Company with respect there to is limited to furnishing a surveyor believed to be competent, and in the making of this certificate the surveyor is acting impartially and to the best of his ability and no liability shall attach to the Company or the surveyor for the accuracy there off. Our responsibility can never exceed the amount of our fees.