



ALS Inspection Chile SpA
Limache 3405, Office 61
Viña del Mar, CHILE
T +56 32 2545 500

Report: IQ-2603-1069
Date: March 30th, 2026

Port Caleta Patillos, CHILE.

**To the Master/Chief Officer
MV PORTO DOLICHA**


Dear Sir,

This is to inform you that we have been appointed to determine the loaded/discharged cargo by means of a Draft Survey. Therefore, we require your vessel cooperation with the following:

1. **Upright**- e.g. without list
2. **Trim by the stern and not more than 1% of the length or as close as possible.** [Trim not by the bow]
3. **Ballast tanks full by overflowing, empty or minimum possible.**
4. **No shifting of ballast is allowed throughout the draft survey.**
5. **Provide with the Bunker quantity updated at the time of the draft survey performing.**
6. **Do not carry out movements of cranes or hatch covers during draft readings.**

Any failure to comply with these requirements **may cause delays to the vessel loading/discharged operations.**

Kind Regards,


Miguel Cortés Fuentes
Surveyor
ALS
INSPECTION



FOR RECEIPT ONLY
w/o PREJUDICE
IMO No. 9687083
*

**Chief Officer
MV PORTO DOLICHA**



Arica - Iquique - Antofagasta - Valparaíso - Santiago - San Antonio - Talcahuano - Puerto Montt - Punta Arenas

Draught Survey Certificate

Report Nr. **IQQ-2603-1069** Date issued **March 31, 2026**
 Port of survey **Caleta Patillos, Terminal N° 1, Chile**
 Ship's name **PORTO DOLICHA**
 Type of Cargo **Salt in bulk** Cargo loaded **21773 MT**

		INITIAL DRAFT		March 30th 2026 / 22:35 to 23:25 LT		
		Aft	Mid	Ford	LShip	
Port	6.9300	6.4200	6.2200	LBP	9410.00	185.79
Starboard	6.9600	6.5500	6.2600			
Mean	6.9450	6.4850	6.2400	Tpc	52.325	
Corr'n to Perpendicular	0.0460	-0.0020	-0.0086	Lcf (-Ford)	-3.136	
Draught	6.9910	6.4830	6.2314	Trim	0.7596	
3/4 Mean Draught	Extreme	6.5151		Mct+	620.19	
Disp @	1.0250	32003.81		Mct-	590.88	
Trim Correction A		-67.09				
Trim Correction B		4.55		IFO & DO	735.40	
Corrected Displacement		31941.27		Fresh & DW	115.00	
Density of Dock Water		1.0250		Ballast	21382.52	
Displacement @ Density		31941.27		Other	0.00	
Variables		22232.92		Total	22232.92	
Nett Displacement		9708.35				
		FINAL DRAFT		March 31st 2026 / 14:13 to 15:10 LT		
		Aft	Mid	Ford		
Port	8.9000	8.2600	7.7600			
Starboard	8.9800	8.3700	7.7600			
Mean	8.9400	8.3150	7.7600	Tpc	54.100	
Corr'n to Perpendicular	0.0770	-0.0034	-0.0144	Lcf (-Ford)	-0.482	
Draught	9.0170	8.3116	7.7456	Trim	1.2714	
3/4 Mean Draught	Extreme	8.3290		Mct+	685.44	
Disp @	1.0250	41648.91		Mct-	648.38	
Trim Correction A		-17.84				
Trim Correction B		16.12		IFO & DO	731.79	
Corrected Displacement		41647.19		Fresh & DW	112.00	
Density of Dock Water		1.0250		Ballast	9322.17	
Displacement @ Density		41647.19		Other	0.00	
Variables		10165.96		Total	10165.96	
Nett Displacement		31481.23				
Cargo loaded		21773				
Dist of Draught Marks	Arrival	Departure				
From Aft Perpendicular	11.250	11.250				
From Mid Perpendicular	-0.500	-0.500				
From Ford Perpendicular	-2.100	-2.100				
Sea water densimeter	AllaFrance, Serie # 310139					

+ Marks forward of perpendicular +ive
 Marks aft of perpendicular -ive

Remarks: At initial & final draught survey there were 1,00 mts swell abt



0659912627906

Mr. Miguel Cortes Fuentes
 Draught Surveyor



Chief officer Mr. Richard Vinuya Culala
 MV PORTO DOLICHA



DRAUGHT SURVEY CERTIFICATE		Form FT_MAR4_01	
Revised by	M. Cortes	Approved by	M. Palma
		Versión 9 / Junio 1, 2020	

In accepting this certificate it is agreed that the extent of the obligation of this Company with respect there to is limited to furnishing a surveyor believed to be competent, and in the making of this certificate the surveyor is acting impartially and to the best of his ability and no liability shall attach to the Company or the surveyor for the accuracy there off. Our responsibility can never exceed the amount of our fees.



Arica - Iquique - Antofagasta - Valparaíso - Santiago - San Antonio - Talcahuano - Puerto Montt - Punta Arenas

Draught Survey Certificate

Report Nr. **IQQ-2603-1069** Date issued **April 1, 2026**
 Port of survey **Caleta Patillos, Terminal N° 1, Chile**
 Ship's name **PORTO DOLICHA**
 Type of Cargo **Salt in bulk** Cargo loaded **48470 MT**

		INITIAL DRAFT		March 30th 2026 / 22:35 to 23:25 LT		
		Aft	Mid	Ford		
Port	6.9300	6.4200	6.2200	LShip	9410.00	
Starboard	6.9600	6.5500	6.2600	LBP	185.79	
Mean	6.9450	6.4850	6.2400	Tpc	52.325	
Corr'n to Perpendicular	0.0460	-0.0020	-0.0086	Lcf (-Ford)	-3.136	
Draught	6.9910	6.4830	6.2314	Trim	0.7596	
3/4 Mean Draught	Extreme		6.5151	Mct+	620.19	
Disp @	1.0250	32003.81		Mct-	590.88	
Trim Correction A			-67.09			
Trim Correction B			4.55	IFO & DO	735.40	
Corrected Displacement			31941.27	Fresh & DW	115.00	
Density of Dock Water			1.0250	Ballast	21382.52	
Displacement @ Density			31941.27	Other	0.00	
Variables			22232.92	Total	22232.92	
Nett Displacement			9708.35			
		FINAL DRAFT		April 01st 2026 / 13:50 to 14:15 LT		
		Aft	Mid	Ford		
Port	11.6000	11.5100	11.3800			
Starboard	11.6000	11.5100	11.3800			
Mean	11.6000	11.5100	11.3800	Tpc	56.926	
Corr'n to Perpendicular	0.0144	-0.0006	-0.0027	Lcf (-Ford)	3.956	
Draught	11.6144	11.5094	11.3773	Trim	0.2371	
3/4 Mean Draught	Extreme		11.5060	Mct+	785.24	
Disp @	1.0250	59312.95		Mct-	762.99	
Trim Correction A			28.74			
Trim Correction B			0.34	IFO & DO	726.93	
Corrected Displacement			59342.03	Fresh & DW	109.00	
Density of Dock Water			1.0250	Ballast	328.00	
Displacement @ Density			59342.03	Other	0.00	
Variables			1163.93	Total	1163.93	
Nett Displacement			58178.10			
Cargo loaded				48470		
Dist of Draught Marks	Arrival		Departure			
From Aft Perpendicular	11.250		11.250		+	
From Mid Perpendicular	-0.500		-0.500		Marks forward of perpendicular +ive	
From Ford Perpendicular	-2.100		-2.100		Marks aft of perpendicular -ive	
Sea water densimeter	AllaFrance, Serie # 310139					

Remarks: At initial & final draught survey there were 3,00 mts swell abt



Mr. Miguel Cortés Fuentes
 Draught Surveyor



Chief officer Mr. Richard Vinuya Cufala
 MV PORTO DOLICHA



DRAUGHT SURVEY CERTIFICATE		Form FT_MAR4_01	
Revised by	M. Cortes	Approved by	M. Palma
		Versión 9 / Junio 1, 2020	

In accepting this certificate it is agreed that the extent of the obligation of this Company with respect there to is limited to furnishing a surveyor believed to be competent, and in the making of this certificate the surveyor is acting impartially and to the best of his ability and no liability shall attach to the Company or the surveyor for the accuracy thereof. Our responsibility can never exceed the amount of our fees.



ALS Inspection Chile SpA
 Limache 3405, Office 61
 Viña del Mar, CHILE
 T +56 32 2545 500

Arica - Iquique - Antofagasta - Valparaíso - Santiago - San Antonio - Talcahuano - Puerto Montt - Punta Arenas

Draught Survey Certificate

Report Nr. **IQQ-2603-1069** Date issued **April 1, 2026**
 Port of survey **Caleta Patillos, Terminal N° 1, Chile**
 Ship's name **PORTO DOLICHA**
 Type of Cargo **Salt in bulk** Cargo loaded **45192 MT**

		INITIAL DRAFT		March 30th 2026 / 22:35 to 23:25 LT	
	Aft	Mid	Ford	LShip	
Port	6.9300	6.4200	6.2200	LBP	9410.00
Starboard	6.9600	6.5500	6.2600		185.79
Mean	6.9450	6.4850	6.2400	Tpc	52.325
Corr'n to Perpendicular	0.0460	-0.0020	-0.0086	Lcf (-Ford)	-3.136
Draught	6.9910	6.4830	6.2314	Trim	0.7596
3/4 Mean Draught	Extreme 6.5151			Mct+	620.19
Disp @ 1.0250	32003.81			Mct-	590.88
Trim Correction A	-67.09				
Trim Correction B	4.55			IFO & DO	735.40
Corrected Displacement	31941.27			Fresh & DW	115.00
Density of Dock Water	1.0250			Ballast	21382.52
Displacement @ Density	31941.27			Other	0.00
Variables	22232.92			Total	22232.92
Nett Displacement	9708.35				
		FINAL DRAFT		April 01st 2026 / 06:40 to 07:40 LT	
	Aft	Mid	Ford		
Port	11.3000	10.9000	10.5000		
Starboard	11.3900	10.9900	10.5200		
Mean	11.3450	10.9450	10.5100	Tpc	56.540
Corr'n to Perpendicular	0.0545	-0.0024	-0.0102	Lcf (-Ford)	3.384
Draught	11.3995	10.9426	10.4998	Trim	0.8997
3/4 Mean Draught	Extreme 10.9444			Mct+	774.53
Disp @ 1.0250	56126.75			Mct-	743.71
Trim Correction A	92.65				
Trim Correction B	6.71			IFO & DO	727.09
Corrected Displacement	56226.11			Fresh & DW	110.00
Density of Dock Water	1.0250			Ballast	488.22
Displacement @ Density	56226.11			Other	0.00
Variables	1325.31			Total	1325.31
Nett Displacement	54900.80				
Cargo loaded	45192				
Dist of Draught Marks	Arrival	Departure			
From Aft Perpendicular	11.250	11.250		+ Marks forward of perpendicular +ive	
From Mid Perpendicular	-0.500	-0.500		- Marks aft of perpendicular -ive	
From Ford Perpendicular	-2.100	-2.100			
Sea water densimeter	AllaFrance, Serie # 310139				

Remarks: At initial & final draught survey there were 2,50 mts swell abt



0659912627906

Mr. Miguel Cortes Fuentes
 Draught Surveyor



Chief officer Mr. Richard Vinuya Culala
 MV PORTO DOLICHA



Revised by		M. Cortes		Approved by		M. Palma		Form FT_MAR4_01		Versión 9 / Junio 1, 2020	
------------	--	-----------	--	-------------	--	----------	--	-----------------	--	---------------------------	--

In accepting this certificate it is agreed that the extent of the obligation of this Company with respect there to is limited to furnishing a surveyor believed to be competent, and in the making of this certificate the surveyor is acting impartially and to the best of his ability and no liability shall attach to the Company or the surveyor for the accuracy there off. Our responsibility can never exceed the amount of our fees.



ALS Inspection Chile SpA

Limache 3405, Office 61

Viña del Mar, CHILE

T +56 32 2545 500

Arica - Iquique - Antofagasta - Valparaíso - Santiago - San Antonio - Talcahuano - Puerto Montt - Punta Arenas

Als report Nr. IQQ-2603-1069

Stowage Plan MV PORTO DOLICHA

	HOLD Nr.5 10,200 MT	HOLD Nr.4 9,900 MT	HOLD Nr.3 8,800 MT	HOLD Nr.2 10,570 MT	HOLD Nr.1 9,000 MT	
--	----------------------------------	---------------------------------	---------------------------------	----------------------------------	---------------------------------	--

Departure Draughts			General Information	
11.380	Fwd 11.380	11.380	1.- Draft Survey was carried out jointly with vessel's Chief Officer. 2.- A wave damping tube was used to ensure that the draught readings were reliable. 3.- Densities of ballast and sea water were determined by using an AllaFrance, Serie # 310139	
11.510	Ps 11.510 Ss	11.510	Initial Draft Survey Commenced	March 30th 2026 / 22:35 to 23:25 LT
			Final Draft Survey Completed	April 01st 2026 / 13:50 to 14:15 LT
			Total Cargo Loaded	48,470
11.600	11.600 Aft	11.600	Final True Trim	0.24 m
			Swell Condition	At initial & final draught survey there were 3,00 mts swell abt
			Surveyor Name	Mr. Miguel Cortés Fuentes
 Surveyor Signature			 Vessel Signature & Stamp	